Radiocarbon, Vol 63, Nr 4, 2021, p 1073–1084

Selected Papers from the 1st Latin American Radiocarbon Conference, Rio de Janeiro, 29 Jul.–2 Aug. 2019 © The Author(s), 2020. Published by Cambridge University Press for the Arizona Board of Regents on behalf of the University of Arizona

A HIGH-RESOLUTION CHRONOLOGY FOR THE PALATIAL COMPLEX OF XALLA IN TEOTIHUACAN, MEXICO, COMBINING RADIOCARBON AGES AND ARCHAEOMAGNETIC DATES IN A BAYESIAN MODEL

Laura E Beramendi-Orosco^{1,2*} • Galia Gonzalez-Hernandez^{2,3} • Ana M Soler-Arechalde³ • Linda R Manzanilla⁴

¹Instituto de Geología, Universidad Nacional Autónoma de México, Ciudad Universitaria, Mexico City 04510, México

²Laboratorio Universitario de Radiocarbono, Laboratorio Nacional de Geoquímica y Mineralogía, Ciudad Universitaria, Mexico City 04510, México

³Instituto de Geofísica, Universidad Nacional Autónoma de México, Ciudad Universitaria, Mexico City 04510, México

⁴Instituto de Investigaciones Antropológicas, Universidad Nacional Autónoma de México, Ciudad Universitaria, Mexico City 04510, México

ABSTRACT. Teotihuacan is one of the most studied archaeological sites in Mesoamerica because of its exceptional size and urban planning; however, its last years of occupation and abandonment are still under debate. We report a highresolution chronology for the Xalla complex integrating archaeomagnetic dates, radiocarbon (¹⁴C) ages, and detailed archaeological information about sample type and context in a Bayesian model. The model includes 42 ¹⁴C ages and 7 archaeomagnetic dates grouped in 6 phases, including samples from collapsed roofs with ¹⁴C ages earlier than expected, suggesting a problem of inbuilt age. The archaeomagnetic dates on lime plasters were classified in unburned samples, related to the time of construction, and burned samples, related to the Big Fire associated to the abandonment of Teotihuacan. The modeld ¹⁴C ages resulted in shorter intervals, with the possibility of differentiating the construction phases, confirming that big beams had inbuilt age. Further, combining the two dating methods and classifying lime plaster samples in burned and unburned, it was possible to date different events within the same archaeological context. It is concluded that by combining these two dating methods and understanding the moment that each sample is dating, it is possible to obtain solid and precise chronologies.

KEYWORDS: archaeomagnetic dating, Bayesian chronology, inbuilt age, Teotihuacan.

INTRODUCTION

Teotihuacan is one of the most studied archaeological sites in Mesoamerica because of its exceptional size and urban planning, with a highly urbanized capital surrounded by villages and hamlets (Millon 1973; Sanders et al. 1979), its corporate organization (Blanton et al. 1996; Manzanilla 2001, 2006; Pasztory 1992), and multiethnic character (Price et al. 2000; Manzanilla 2015). However, the chronology for the different occupational phases and the process of abandonment are still under debate, partly due to the fact that the radiocarbon (¹⁴C) calibration curve has some problematic periods during the times of the development and subsequent occupations of Teotihuacan that make it difficult to differentiate ages of samples from different temporalities as suggested by archaeological evidence (Cowgill 2007; Manzanilla 2019). Specifically, there are two plateaus; one between 140 and 220 CE, coincident with the period of the first urban planning (Millon 1973); and the other between 420 and 530 CE, coincident with a new construction level in Xolalpan phase and close to the Big Fire, the moment of abandonment of the city by the Teotihucanos (Manzanilla 2003; Soler-Arechalde et al. 2006; Beramendi-Orosco et al. 2012). Other issues that further complicate the chronology construction for Teotihuacan are related to samples and altered contexts. Regarding samples the difficulties arise from the fact that it was a common practice to reuse big constructing elements, such as wooden beams and pillars, from previous phases introducing the problem of significant inbuilt age. On the other hand, it is



^{*}Corresponding author. Email: laurab@geologia.unam.mx.

known that the abandoned city was looted and reoccupied by later cultures, such as the Coyotlatelco and Aztec during Epiclassic and Postclassic times, resulting in the alteration of some archaeological contexts (Millon 1988; Cowgill 2007; Nichols 2016).

In an effort to contribute towards a better understanding of the urban development and abandonment of the city, we previously reported a Bayesian chronology for Teopancazco, a multiethnic neighborhood center located in the south of the City of Teotihuacan, which made it possible to differentiate in time four constructing phases, as well as estimating the time of the Big Fire and abandonment of the site by the teotihuacanos around 550 CE (Beramendi-Orosco et al. 2009, 2012). Furthermore, we recently reported a chronology for a different site inside the main city with the monumental constructions, the palatial complex of Xalla, contrasting a Bayesian ¹⁴C model to archaeomagnetic dates on lime plasters (Beramendi-Orosco et al. 2019).

In this contribution we report a new high-resolution chronology for the same site including 14 C ages and archaeomagnetic dates on burned and unburned lime-plasters, in a Bayesian chronological model constructed with detailed archaeological information about sample type and archaeological context. This new chronology and that previously reported for Teopancazco (Beramendi-Orosco et al. 2009, 2012) are part of a bigger project with the aim of building a robust chronology with high resolution for the Teotihuacan Valley, covering from formative times through late postclassic occupations.

METHODOLOGY

The Palatial Complex of Xalla, Teotihuacan

Xalla is a palatial compound of classic Teotihuacan located 235 m north of the Pyramid of the Sun (Manzanilla and López-Luján 2001, Figure 1). It has been extensively excavated by Linda R. Manzanilla since 2000 as part of the project "Teotihuacan. Elite and Rulership. Excavations at Xalla and Teopancazco." It may have been one of the seats of power for ancient Teotihuacan, it has an unusual size with a surface of 50,787 m². It is not located along the Street of the Dead but 235 m from this avenue, revealing a sense of privacy; it is isolated by a ca. 3-m-wide double wall, to allow watchmen to walk around it. This palace has 8 plazas and ca. 29 structures (Figure 2). It was perhaps a multifunctional palace with precincts presumably for decision-making of the members of the ruling elite of Teotihuacan, with ritual sectors, treasure of the co-rulers consisting of foreign mica from Oaxaca (southern Mexico), an area for associated craftsmen, and some domestic sectors (Manzanilla 2017). The main plaza has four equivalent structures with elevated precincts, each to a cardinal point, and each dedicated to a different deity. These surround a temple set in the center of the main plaza. One of the outstanding activities found at Xalla is the cutting of mica plaques (Rosales-de-la-Rosa and Manzanilla 2011). Some of the higher rooms surrounding Plaza 5 had large plaques of mica on the floor or attached to the lower portions of rear walls (Manzanilla 2019). Together with the Viking Group, Xalla is characterized for concentrating most of the mica that came from Oaxaca to Teotihuacan. At present, 37 kg of mica has been found only in Xalla, ca. 10 kg of which were treasured in Structure 12 (S12), a ritual tumulus. This palace has evidence of the shattering of cult sculptures and destruction by the Big Fire, which was the first episode precluding the collapse of the city. After the abandonment of the complex, Epiclassic and Postclassic groups such as Coyotlatelco (650-800 CE) and Aztec (1000-1400 CE) used the space and looted it (Manzanilla 2019).




Figure 1 Location of Teotihuacan and the Xalla complex (based on Soler-Arechalde et al. 2006).




Figure 2 Schematic layout of the Xalla palatial complex (Manzanilla 2017). The alphanumeric codes mean S: structure and P: plaza.

Sample	Location (description)	Decl. (°)	Inc. (°)	α ₉₅	Archaeomagnetic date (CE)
Xa2, Xa3, Xa4, Xa5	S4, R1, Floor 1 (burned)	359.8	38.2	6.3	552-625
Xa, Xa6, Xa7	S4, R1, Floor 1 (not burned)	336.9	36.2	8.1	425–453
Xa13	S9, Floor 4 (not burned)	336.5	29.0	13.4	182–190
X1, X2, X3, X4, X5	S1, Floor 1 (burned)	356.8	39.2	3.8	553–599
X7, X8, X9	S1, red wall (not burned)	351.4	42.7	7	428–447
Xa1712121, Xa1712122, Xa1712123	Plaza1a, Floor 0 (not burned)	4.7	58.2	14.6	434–572
Xa1712124, Xa1712125	Plaza1a, Floor 1 (not burned)	23.8	26.4	13.5	421–447

Table 1 Archaeomagnetic dates on lime plasters from Xalla complex.

Archaeomagnetic Dating

Samples for archaeomagnetic dating correspond to lime plasters from floors and red-painted walls (Table 1). It has previously been demonstrated that lime plasters can date different events depending on if they are burned or not (Hueda-Tanabe et al. 2004). Unburned samples date the time of manufacture because the volcanic magnetic minerals contained within the plaster mixture acquire a detrital magnetization, recording the direction of the Earth's magnetic field at the moment of solidification. On the other hand, burned lime plasters date the fire event if they are heated up to temperatures higher than the Curie temperature, losing the direction of the Earth's magnetic field at the moment of cooling down. Furthermore, if there are lime plasters from a single manufacture but with burned and unburned areas, it is possible to date both events in the same context.

Samples were obtained during different excavation campaigns as follows: 15 samples in 2001, 11 in 2003, and 2 samples in 2012. Sampling consisted in removing a block of plaster oriented *in situ* with a Brunton compass. Samples were analyzed at the Laboratorio de Paleomagnetismo at the Instituto de Geofísica of the National Autonomous University of Mexico (UNAM) following the methodology previously reported elsewhere (Soler-Arechalde et al. 2006); briefly, the oriented blocks were cut in subsamples and encapsulated within two 2.5-cm-diameter wooden discs using a non-magnetic epoxy resin to obtain cylindrical specimens that fit in an AGICO JR6 spinner magnetometer. The main remanence components and stability of the magnetization of each specimen were investigated by detailed stepwise alternating field demagnetization over 8–12 steps up to 100 mT with a Molspin demagnetizer (Figure 3a). The mean direction (inclination and declination) for each sampled plaster were obtained by means of Fisher's statistics together with the α_{95} parameter, which is a measure of the dispersion of the magnetic data of all specimens from the same plaster and is considered acceptable when lower than 10° for burned samples and 15° for unburned samples (Figure 3b, c). Finally, the archaeomagnetic




Figure 3 Example of archaeomagnetic dating process: (a) every specimen (X2A in this example) is demagnetized by alternate fields to get its magnetization direction (declination and inclination); (b) the magnetization of X2 sample (declination, inclination and α_{95}) is obtained by Fisher statistics of all the specimens (X2A, X2B, etc.); (c) Fisher mean (declination, inclination and α_{95}) of all the samples from the same floor (X2, X3, X4, X5); (d) using the software RENDATE (Lanos and Dufresne 2008) the intersection of inclination and its error with the curve for Central Mexico (Soler-Arechalde et al. 2019) is obtained; (e) same process with declination; and (f) combination of inclination and declination results to get the common time-intervals with a probability of 95% by RENDATE.

dates were estimated using the last version of the Secular Variation curve for Central Mexico reported by Soler-Arechalde et al. (2019) with the RENDATE program (Lanos and Dufresne 2008), which uses Bayesian statistics to assign a probability to the different periods when the magnetic properties of the sample coincide with the curve (Figure 3d, e, f). From the 28 lime plasters sampled, it was possible to obtain only 7 reliable archaeomagnetic dates (Table 1); the rest of samples had highly dispersed magnetic data ($\alpha_{95} > 15^\circ$) and could not be used for dating (Soler-Arechalde et al. 2006).

There is a sequence of floors sampled at the different construction stages of structure 9 (S9). The first one (deepest level, floor 4, sample Xa13) was dated by archaeomagnetism to 182–190 CE and because the plaster is not burned, this date would correspond to the manufacture of the first construction level of the structure. The floors from the next two construction levels in S9 could not be dated using archaeomagnetism because they had highly dispersed magnetic data ($\alpha_{95}>15^{\circ}$). There are other archaeomagnetic dates from unburned plastered-floors from the last construction phases and/or associated with artifacts with Xolalpan characteristics: floor 1 in structure S4 (425–453 CE; samples Xa1, Xa6, Xa7), floor 1 in the plaza P1 (dated to 421–447 CE; samples Xa1712124, Xa1712125) and floor 0 in the plaza P1a (dated to 434–572 CE; samples Xa1712121, Xa1712122, Xa1712123). Further, the red-painted lime plasters on walls from last construction phase in structure 1 (S1) were also dated to the Xolalpan period, with an archaeomagnetic date of 428–447 CE (sample X7, X8, X9). Regarding

burned lime plasters, there is a sample from the last construction phase (floor 1) in S4 dated to 552–625 CE (samples Xa2, Xa3, Xa4, Xa5), and samples from the burned floor 1 from S1 (last construction phase), with an archaeomagnetic date between 553–599 CE (samples X1, X2, X3, X4, X5). Both dates are contemporaneous and are presumably dating the same event, the Big Fire, as they are in good agreement to the date previously reported for burned lime samples in Teopancazco (Soler-Arechalde et al 2006; Beramendi-Orosco et al 2009 and 2012), further supporting that the Big Fire was indeed between 550 and 600 CE, earlier than was previously proposed for the moment of abandonment of Teotihuacan (650 CE; Cowgill 2007).

Radiocarbon Dating

There is a total of 42 ¹⁴C ages (Table 2) on charcoal samples obtained during the last 16 years by Accelerator Mass Spectrometry (AMS) and Liquid Scintillation Spectrometry (LSS), depending on sample size, analyzed in three laboratories: Beta Analytic in Florida USA (Beta, analyses by AMS and LSS), the Laboratorio Universitario de Radiocarbono at the National Autonomous University of Mexico (UNAM, analyses by LSS) and the Radiocarbon laboratory at the Institut für Bodenkunde, University of Hamburg, Germany (HAM, analyses by LSS) (Table 2). Samples Beta-204317, Beta-204319, UNAM-0516, UNAM-0518, HAM-3807 and HAM-3808 come from the same archaeological context as sample P from the Fifth International Radiocarbon Intercomparison (VIRI), which was a big charred wooden beam from a collapsed ceiling a with a VIRI consensus PMC value of 80.457% (Scott et al. 2010).

Samples analyzed at the UNAM laboratory were dated following previously reported procedures (Beramendi-Orosco et al. 2006). Briefly, samples were cleaned with an acid/alkali/acid (AAA) pretreatment at 50°C using 1M hydrochloric acid (HCl) and 0.1M sodium hydroxide (NaOH), neutralized and dried prior to their transformation to benzene in a vacuum synthesis line. Benzene samples were mixed with 0.5 mL of scintillation cocktail (2,5-diphenyloxazole [PPO] + 1,4-Bis(5-phenyl-2-oxazolyl)benzene [POPOP] dissolved in dead spectrophotometric-grade benzene) in 3-mL Teflon[®] vials. Analysis was performed in a QuantulusTM 1220 ultra-low level liquid scintillation spectrometer counting each sample for 2500 min, distributed in 50 cycles, alternating sample vials with oxalic acid SRM 4990C standard and background vials. The counting window was set to optimize the figure of merit with a ¹⁴C counting efficiency higher than 65% and the background <0.2 CPM/g C.

Bayesian Chronological Model

The Bayesian model was generated by grouping conventional ages and the archaeomagnetic dates in 6 independent phases according to sample type and archaeological information regarding context (Table 2 and supplementary file). The first group corresponds to charcoal samples from big construction elements, mainly carbonized wooden beams from collapsed ceilings identified as *Pinus pseudostrobus* (Xelhuantzi 2002) a long-lived species, with conventional ¹⁴C ages significantly earlier than expected according their contexts which have archaeological evidence related to Tlamimilolpa (200–350 CE) and Xolalpan (420–550 CE) styles, suggesting a problem of inbuilt age (as defined by McFadgen 1982), which could presumably be a result of the reuse of structural elements, a common practice in Mesoamerican cultures. The second group includes charcoal samples coming from a foundation offering found in the core of one the structures surrounding the main plaza (structure 4) including a jade necklace, Spondylus shells from the Pacific Ocean, and a

			Modeled age (cal. BCE/CE)		
		Conventional			
	Location		(95.4 %		
Sample/parameter	(structure)	age (BP $\pm 1 \sigma$)	interval)	Median	Agreement
End Xolalpan			550-610	565	99.6
UNAM-1716	S3	1540 ± 60	390–580	485	108.7
Beta-149966	P1	1560 ± 40	410–565	485	104.3
UNAM-1514	S12	1580 ± 70	370–575	475	112.3
Beta-159874	S2	1600 ± 60	360-565	470	109.4
Beta-375482	S 3	1620 ± 30	385-540	440	100.9
Beta-204327	S2	1660 ± 40	335–535	400	108.5
Beta-159875	S2	1660 ± 60	335-540	415	107.2
Beta-375485	S1	1670 ± 30	330-430	390	108.8
Beta-315483	S3	1690 ± 30	335-420	385	105.5
Start Xolalpan			280-410	355	98.9
End new beams			340-520	410	98.4
Beta-180345	S3	1630 ± 50	325–445	390	111.9
Beta-159873	S2	1650 ± 60	320-440	385	135.3
Beta-149967	S2	1670 ± 40	330-425	385	127.1
Beta-159879	S4	1680 ± 60	315-435	385	133.8
UNAM-0518	S1	1680 ± 50	320-430	380	129.3
Beta-204317	S 1	1680 ± 60	315–435	380	134
Start new beams			250-415	355	97.1
End Tlamilolpa rituals			250-445	340	97.5
Beta-502690	S1	1720 ± 30	245-375	300	102.7
UNAM-0519	S1	1720 ± 60	235–385	300	119.3
Beta-466856	S2	1720 ± 30	250-375	300	104.7
Beta-204318	S1	1720 ± 40	245-380	300	107
Beta-159876	S2	1750 ± 40	235-380	295	117
Beta-159878	S9	1770 ± 40	225-380	295	114.7
Start Tlamilolpa rituals			140-350	260	98.3
End Morillos			235-425	320	97.7
Beta-159881	S4	1740 ± 60	210-375	285	121
Beta-149961	S2	1750 ± 40	215-355	285	117.7
HAM-3808	S1	1770 ± 90	180-370	285	125.6
UNAM-0516	S1	1770 ± 50	185–355	285	122.8
Beta-204319	S1	1770 ± 40	205-355	285	121.3
Beta-149962	S2	1790 ± 60	180-355	285	112
Start Morillos			115-330	245	97.5
End foundation rituals	~ 1	1000	135-270	210	99
Beta-502692	S1	1820 ± 30	130–235	180	111.8
Beta-502691	S1	1840 ± 30	125–230	180	113.1
Beta-502689	S3	1850 ± 30	125-230	180	112.5
Beta-375486	S1	1830 ± 30	130-235	180	112.5
Beta-180347	S4	1830 ± 40	125–235	180	120.6
Beta-180341	S4	1850 ± 40	125-235	180	116.5
Start foundation rituals			75–220	150	98.4

Table 2Radiocarbon ages on charcoal samples from Xalla complex ordered according to theBayesian model groups.

(Continued)

Downloaded from https://www.cambridge.org/core. IP address: 189.239.165.129, on 12 Aug 2021 at 14:49:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/RDC.2020.130

			Modeled age (cal. BCE/CE)		
Sample/parameter	Location (structure)	Conventional age (BP $\pm 1 \sigma$)	(95.4 % interval)	Median	Agreement
End wooden beams			75–325	175	98
Beta-149964	S2	1850 ± 40	55-225	125	90.4
UNAM-0517	S 1	1860 ± 50	25-225	110	97.9
UNAM-0401	S 1	1920 ± 70	-60-215	65	109.5
HAM-3805	S 1	1940 ± 60	-90-185	55	107.7
HAM-3807	S 1	1980 ± 60	-110-135	20	106.8
HAM-3804	S 1	2040 ± 44	-155-60	-35	105.8
UNAM-0404	S 1	2060 ± 60	-170-65	-45	104.6
HAM-3806	S1	2080 ± 80	-190-80	-50	105.8
Beta-204320	S1	2100 ± 40	-180 - 10	-80	93.9
Start wooden beams			-285-10	-135	97.2

Table 2 (Continued)

conch shell from the Caribbean (Manzanilla 2017); charcoal samples from beneath a Tlamimilolpa habitational area, and the archaeomagnetic date for the deepest unburned plaster floor from structure 9 dated to 182-190 CE. Samples included in the third group correspond to charcoal from small construction elements from ceilings known as "morillos" which were short-lived wooden laths used as the foundation for the plaster covering the ceilings. The fourth group includes charcoal samples from rituals with Tlamimilolpa style ceramic and/or figurines, and samples in the fifth group correspond to charcoal from wooden beams from collapsed ceilings but with conventional ages significantly younger than the first group and related to Xolalpan architectural style. The last group includes small charcoal samples found in ritual contexts with Xolalpan style ceramic and/or figurines and four archaeomagnetic dates for unburned plasters from floors and walls, dated to between 421 and 570 CE. The archaeomagnetic dates of the burned plasters, treated as one date in the Bayesian model because they are dating the same event, were included as the final boundary for the Xolalpan phase (samples X1, X2, X3, X4, X5 and Xa2, Xa3, Xa4, Xa5; dated to 553-599 CE and 552-625 CE, respectively). Despite there is archaeological evidence that the site was looted and occupied by Covotlatelco and Aztec people, such as looting piths, stone circles characteristic of Coyotlatelco people and early Aztec-style pottery shards (Manzanilla 2017, 2019), there are no dated samples from those contexts neither by ¹⁴C nor by archaeomagnetism.

The Bayesian model (see supplementary file) was calibrated using the online version of Oxcal 4.3 (Bronk Ramsey 2009a) with the IntCal_13 calibration curve (Reimer et al. 2013). Modeled ages are reported as high probability density intervals at the 95.4% level in cal BCE/CE, the median is also included for facilitating the interpretation. The model was evaluated in terms of the Agreement index (A) calculated by the program, considering a threshold of 60% for both, individual samples and the model (Bronk Ramsey 2009b), and further assessed by contrasting




Figure 4 Schematic figure of the calibrated Bayesian model for Xalla including median age of the boundaries for each group.

the model with the chronology reported for Teopancazco (Beramendi-Orosco et al. 2009, 2012).

RESULTS AND DISCUSSION

The calibrated model resulted in an A index of 211.8% and individual A indices higher than 90% for all samples, indicating that the model is consistent with the data and validating the chronology. The Bayesian calibrated intervals are up to 65% shorter than individual calibrated ages. Moreover, it is possible to distinguish groups and assign temporalities for beginning and ending for each phase (Table 2, Figure 4).

The phase including the big construction elements resulted with the beginning dated to 280–5 cal BCE (median 130 cal BCE) and the ending to 70–320 cal CE (median 170 cal CE), significantly earlier than expected for ceilings from classic Teotihuacan (150–550 CE; Cowgill 2007), supporting further the hypothesis of a problem of inbuilt age resulting from the reuse of big structural elements. The boundaries of the foundation group resulted with modeled ages dated to 120–195 CE (median 175 CE) for the beginning and 175–245 CE (median 195 CE) for the ending, with all samples included in this group with contemporaneous calibrated ¹⁴C ages (median 185 CE) and in good agreement with the manufacture date of the deepest floor in structure 9 dated by archaeomagnetism to 182–190 CE. Results for the following group which includes the small construction elements (morillos) has the beginning dated to 110–330 CE (median 245 CE) and an ending towards 235–430 cal CE (median 320 cal CE) and modeled ages for all samples within this group are contemporaneous, with a median of 285 cal CE. The Tlamimilolpa rituals group overlaps with the previous one, with modeled ages for the beginning dated to 140–350 cal CE (median 260 cal CE) and the ending dated to 250–455 cal CE (median 340 cal CE);

further, the modeled ages for samples in this group have a median dated to 300 cal CE, in good agreement with the modeled ages for the morillos samples, confirming that the morillos, despite coming from the collapsed ceilings, do not have the problem of a significant inbuilt age and are dating the moment of construction for the ceilings in the Tlamimilolpa period. The fifth group, which includes charcoal from big wooden beams with conventional ages significantly younger than the first group, has a modeled age for the beginning dated to 250–415 cal CE (median 355 cal CE) and an ending towards 340-505 cal CE (median 410 cal CE), suggesting this group corresponds to a new constructional phase with wooden beams that, despite being big and with the potential of having significant inbuilt age, are dating the moment of construction of this new phase; moreover, this group is in good agreement with the Early Xolalpan phase reported in the Teopancazco chronology (Beramendi-Orosco et al. 2012). Finally, the sixth group, corresponding to charcoal samples from Xolalpan activities and unburned lime plasters from floors of the last construction level, has a modeled beginning at 275–410 cal CE (median 350 cal CE) with the ending, according to the Bayesian model, being the archaeomagnetic dates for the lime plasters presumably burned during the Big Fire (previously dated to 575 \pm 25 CE by archaeomagnetism); however, all ¹⁴C ages included in this group resulted in modeled ages earlier than the Big Fire, with medians between 380 and 485 cal CE. The earlier samples are consistent with the ages of the new wooden beams dating the new construction phase in the fifth group, and the later ones are consistent with the Late Xolalpan phase reported in the chronology for Teopancazco (Beramendi-Orosco et al 2009, 2012).

With the results of the calibration of the Bayesian model and the archaeological information it is possible to date different events within the same archaeological context depending on the sample type and dating method. This was possible for the partially burned floor 1 from room 1 in structure 4, having an archaeomagnetic manufacture date of 425–453 CE for the unburned area, and a date of the burned area dated to 552–625 CE, presumably dating the Big Fire of Teotihuacan. There is a ¹⁴C age for this context corresponding to a charcoal sample from the collapsed ceiling (median of modeled age dated to 385 CE). The ¹⁴C age is in good agreement with the manufacture of the underlying floor, so both ages (¹⁴C and archaeomagnetic of unburned plaster) would be dating the construction of the structure, whereas the burned floor is presumably dating the Big Fire at the moment of abandonment, which is also in accordance to the Big Fire dated at Teopancazco.

CONCLUSIONS

By combining ¹⁴C and archaeomagnetic dating, and having a good understanding of the context and nature of the samples, it was possible to generate a Bayesian model that resulted in a high-resolution chronology for a relevant complex of one of the most important archaeological sites in Mesoamerica. This research highlights the importance of having a good understanding of the relation between the sample and the context to establish the event that is being dated. An essential thing to achieve this is a close and thorough collaboration among archaeologists, ¹⁴C and archaeomagnetism specialists.

By constructing a Bayesian model grouping ¹⁴C conventional ages and archaeomagnetic dates according to sample type and archaeological context, it was possible to differentiate different phases in time with calibrated ages with shorter intervals. It was also possible to demonstrate the reuse of building materials by identifying samples with problems of inbuilt age. Furthermore, by contrasting the results of the Bayesian model to the archaeomagnetic

dates, and understanding the event each sample would be dating, we could even differentiate events within a single archaeological context.

Another relevant issue arising from this work is the good correspondence of the chronology for Xalla with the previously reported chronology for Teopancazco, indicating that both sites are contemporaneous from their foundation through the abandonment, providing a further understanding of the urban importance of Xalla before the Big Fire of Teotihuacan.

ACKNOWLEDGMENTS

The excavations at Xalla and the dating of samples were performed through the project "Teotihuacan. Elite y Gobierno: excavaciones en Xalla y Teopancazco" led by Linda Manzanilla and funded by CONACyT and DGAPA–UNAM. Technical support in the Laboratorio Universitario de Radiocarbono from Caridad Hernández-Bernal is gratefully acknowledged as well as the funding from CONACyT to the Laboratorio Nacional de Geoquímica y Mineralogía. Comments from two anonymous reviewers that helped to improve this manuscript are gratefully acknowledged.

SUPPLEMENTARY MATERIAL

To view supplementary material for this article, please visit https://doi.org/10.1017/RDC. 2020.130

REFERENCES

- Beramendi-Orosco LE, González-Hernández G, Urrutia-Fucugauchi J, Morton-Bermea O. 2006. The Radiocarbon Laboratory at the National Autonomous University of Mexico: first set of samples and new ¹⁴C internal reference material with an activity of 80.4 pMC. Radiocarbon 48(3):485–491.
- Beramendi-Orosco LE, González-Hernández G, Urrutia-Fucugauchi J, Manzanilla LR, Soler-Arechalde AM, Goguitchaishvili A, Jarboe N. 2009. High-resolution chronology for the Mesoamerican urban center of Teotihuacan derived from Bayesian statistics of radiocarbon and archaeological data. Quaternary Research 71(2):99–107.
- Beramendi-Orosco LE, González-Hernández G, Soler-Arechalde AM. 2012. Cronología para Teopancazco: Integración de datos arqueomagnéticos a un modelo bayesiano de radiocarbono. In: Manzanilla LR, editor. Estudios Arqueométricos del centro de barrio de Teopancazco en Teotihuacan. Coordinación de la Investigación Científica y Coordinación de Humanidades, UNAM. p. 111–134.
- Beramendi Orosco LE, González Hernández G, Soler Arechalde AM, Manzanilla LR. 2019. Ubicando a Xalla en el tiempo-Cronología de ¹⁴C y arqueomagnetismo. In: Manzanilla LR, editor. El palacio de Xalla en Teotihuacan. Primer acercamiento, Dirección General de Asuntos del Personal Académico-Instituto de Investigaciones

Antropológicas de la Universidad Nacional Autónoma de México, México. p. 307–326.

- Blanton Richard E, Feinman GM, Kowalewski SA, Peregrine PN. 1996. A dual-processual theory for the evolution of Mesoamerican civilization. Current Anthropology 37(1):1–14.
- Bronk Ramsey C. 2009a. Bayesian analysis of radiocarbon dates. Radiocarbon 51(1):337–360.
- Bronk Ramsey C. 2009b. Dealing with outliers and offsets in radiocarbon dating. Radiocarbon 51(3):1023–1045.
- Cowgill G. 2007. The urban organization of Teotihuacan, Mexico. In: Stone EC, editor. Settlement and society: essays dedicated to Robert McCormick Adams. Cotsen Institute of Archaeology, University of California, Los Angeles, and the Oriental Institute of the University of Chicago. p. 261–295.
- Hueda-Tanabe Y, Soler-Arechalde AM, Urrutia-Fucugauchi J, Barba L, Manzanilla L, Rebolledo M, Gogitchaishvili A. 2004. Archaeomagnetic studies in central Mexico dating of Mesoamerican lime-plasters. Physics of Earth and Planetary Interiors 147:269–283.
- Lanos P, Dufresne P. 2008. Bayesian archaeomagnetic and radiocarbon dating: the RenDate software. Radiocarbon and Archaeology, 5th International Symposium. Zurich, Switzerland.
- Manzanilla L, López-Luján, L. 2001. Exploraciones en un posible palacio de Teotihuacan: el

Proyecto Xalla (2000–2001). Mexicon XIII(3): 58–61.

- Manzanilla LR. 2001. Agrupamientos sociales y gobierno en Teotihuacan, Centro de México. In: Ciudad-Ruiz A, Iglesias-Ponce-de-León MJ, del Carmen Martínez-Martínez M, editors. Reconstruyendo la ciudad Maya: el urbanismo en las ciudades antiguas. Madrid: Sociedad Española de Estudios Mayas. p. 461–482.
- Manzanilla LR. 2003. The abandonment of Teotihuacan. In: Inomata T, Webb RW, editors. The archaeology of settlement abandonment in Middle America. Salt Lake City (UT): The University of Utah Press. p. 91–101.
- Manzanilla LR. 2006. Estados corporativos arcaicos. Organizaciones de excepción en escenarios excluyentes. Revista Cuicuilco 13(36), ENAH: 13–45.
- Manzanilla LR. 2015. Cooperation and tensions in multiethnic corporate societies using Teotihuacan, central Mexico as a case study. Proceedings of the National Academy of Sciences 112(30):9210–9215.
- Manzanilla LR. 2017. The Xalla palace in Teotihuacan. In: Rob MH, editor. Teotihuacan: city of water, city of fire. San Francisco (CA): Fine Arts Museums of San Francisco De Young and University of California Press. p. 118–123.
- Manzanilla LR. 2019. El Palacio de Xalla en Teotihuacan, primer acercamiento. Mexico City: Universidad Nacional Autónoma de México, Instituto de Investigaciones Antropológicas.
- McFadgen BG. 1982. Dating New Zealand archaeology by radiocarbon. New Zealand Journal of Science 25:379–92.
- Millon R. 1973. Urbanization at Teotihuacan, Mexico. Volume 1: the Teotihuacan map, part 1: Text. Austin (TX): University of Texas Press.
- Millon R. 1988. The last years of Teotihuacan dominance. In: Yoffee N, Cowgill G, editors. The collapse of ancient states and civilizations. Tucson (AZ): The University of Arizona Press. p. 102–164.
- Nichols DL. 2016. Teotihuacan. Journal of Archaeological Research 24:1–74.
- Pasztory E. 1992. Abstraction and the rise of a utopian state at Teotihuacan. In: Berlo JC, editor. Art, ideology, and the city of Teotihuacan. Washington DC: Dumbarton Oaks Research Library and Collection. p. 281–320.

- Price TD, Manzanilla L, Middleton WH. 2000. Immigration and the ancient city of Teotihuacan in Mexico: a study using strontium isotope ratios in human bone and teeth. Journal of Archaeological Science 27:903–913.
- Reimer PJ, Bard E, Bayliss A, Beck JW, Blackwell PG, Bronk Ramsey C, Buck C, Cheng H, Edwards RL, Friedrich M, et al. 2013. IntCal13 and Marine13 radiocarbon age calibration curves 0–50,000 years cal BP. Radiocarbon 55(4):1869–1887.
- Rosales-de-la-Rosa E, Manzanilla LR. 2011. Producción, consumo y distribución de la mica en Teotihuacan. Presencia de un recurso alóctono en los contextos arqueológicos de dos conjuntos arquitectónicos: Xalla y Teopancazco. In: Manzanilla LR, Hirth K, editors. La producción artesanal y especializada en Mesoamérica. Áreas de actividad y procesos productivos. Mexico City: INAH-UNAM. p. 131–152.
- Sanders WT, Parsons JR, Santley RS. 1979. The Basin of Mexico. The ecological processes in the evolution of a civilization. Studies in Archaeology. New York: Academic Press.
- Scott EM, Cook GT, Naysmith P. 2010. The fifth international radiocarbon intercomparison (VIRI): an assessment of laboratory performance in stage 3. Radiocarbon 52(2–3):859–865.
- Soler-Arechalde AM, Sánchez F, Rodríguez M, Caballero-Miranda C, Goguitchaishvili A, Urrutia-Fucugauchi J, Manzanilla L, Tarling DH. 2006. Archaeomagnetic investigation of oriented pre-Columbian limeplasters from Teotihuacan, Mesoamerica. Earth, Planets and Space 58(10):1433–1439.
- Soler-Arechalde AM, Caballero-Miranda CI, Osete ML, López-Delgado V, Goguitchaishvili A, Barrera-Huerta A, Urrutia-Fucugauchi J. 2019. An updated catalogue of pre-Hispanic archaeomagnetic data for central Mesoamerica: implications for the regional paleosecular variation curve. Boletín de la Sociedad Geológica Mexicana 71(2):497–518.
- Xelhuantzi MS. 2002. Informe sobre el análisis de siete muestras de vigas carbonizadas de la estructura cuatro cuarto uno de Xalla, Teotihuacan. Informe Técnico, Laboratorio de Arqueobotánica, Subdirección de Laboratorios y Apoyo Académico, Instituto Nacional de Antropología e Historia (INAH), México.